



Certificate No. : L1924-200629

財團法人全國認證基金會
Taiwan Accreditation Foundation

Certificate of Accreditation

This is to certify that

GLOBAL COMPLIANCE CO.,LTD.
GLOBAL COMPLIANCE CO.,LTD. Safety Lab.
10F-2, No.9, Jingguo Rd., Taoyuan District Taoyuan City

is accredited in respect of laboratory

Accreditation Criteria : ISO/IEC 17025:2017 ; CNS 17025:2018
Accreditation Number : 1924
Originally Accredited : January 17, 2008
Effective Period : July 11, 2020 to July 10, 2023
Accredited Scope : Testing Field, see described in the Appendix
Specific Accreditation Program : Accreditation Program for Designated Testing Laboratory for Commodities Inspection

Chung-Lin Wang

Chung-Lin Wang
President, Taiwan Accreditation Foundation
Date : June 29, 2020



Certificate No. : L1924-200629

財團法人全國認證基金會
Taiwan Accreditation Foundation

Accreditation Number : 1924

Laboratory Head : CHIU, Chun-Hua

18.04 Commodity

Audio/Video, Information, Communication Technology and Similar Equipments

E001 Safety

IEC 62368-1

EN 62368-1

UL 62368-1

CAN/CSA-C22.2 NO. 62368-1-14

1 Φ , 300 Vac max., 20 A max., 6 kVA max., 47 Hz to 63 Hz, 60 Vdc max., 3.0 A max., 180 VA max.

Approval Signatory: LI, Terry; CHIU, Winnie

18.04 Commodity

Audio & Video Product

E001 Safety

EN 60065,

IEC 60065,

CNS 14408,

UL 60065,

CAN/CSA-C22.2 NO. 60065

1 Φ , 300 Vac max., 66 A, max., 20 kVA max., 50 Hz/60 Hz, 60 Vdc max., 3.0 A max., 180 VA max.

Approval Signatory: CHIU, Winnie; HSU, Mark

20.21 Information Technology and Communication

Information Technology

E001 Safety

CNS 14336-1

CAN/CSA-C22.2 No.60950-1

UL 60950-1

IEC 60950-1

EN 60950-1

1 Φ , 300 Vac max., 66 A, max., 20 kVA max., 50 Hz/60 Hz, 60 Vdc max., 3.0 A max., 180 VA max.

Approval Signatory: LI, Terry; CHIU, Winnie



Certificate No. : L1924-200629

財團法人全國認證基金會
Taiwan Accreditation Foundation

**Accreditation Program for Designated Testing Laboratory for
Commodities Inspection**

▀ 18.04 Commodity

Audio & Video Product

E001 Safety

CNS 14408 (2004)

1 Φ , 300 Vac max., 66 A, max., 20 kVA max., 50 Hz/60 Hz, 60 Vdc max., 3.0 A max.,
180 VA max.

Approval Signatory: CHIU, Winnie; HSU, Mark

▀ 20.21 Information Technology and Communication

Information Technology

E001 Safety

CNS 14336-1 (2010)

1 Φ , 300 Vac max., 66 A, max., 20 kVA max., 50 Hz/60 Hz, 60 Vdc max., 3.0 A max.,
180 VA max.

Approval Signatory: LI, Terry; CHIU, Winnie

(Null below)